

CHLO HIST- chlophedianol hydrochloride, dextbrompheniramine maleate liquid
R. A. McNeil Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Chlo Hist Oral Solution

Drug Facts

Active ingredients

(in each 5 mL teaspoonful)

Chlophedianol Hydrochloride 12.5 mg

Dextbrompheniramine Maleate 1 mg

Purpose

Cough Suppressant

Antihistamine

Uses A nonnaracotic cough suppressant and antihistamine for the temporary relief of:

- cough due to minor throat and bronchial irritation
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

Warnings

Do not exceed recommended dosage.

- May cause drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect. Avoid alcoholic beverages while taking this product. Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor. Use caution when driving a motor vehicle or operating machinery.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed recommended dosage.

| | |
|---|---|
| Adults and children 12 years of age and over: | 2 teaspoonfuls (10 mL) every 6 hours, not to exceed 4 doses in 24 hours |
| Children 6 to under 12 years of age: | 1 teaspoonful (5 mL) every 6 hours, not to exceed 4 doses in 24 hours |
| Children under 6 years of age: | Consult a Physician. |

Other information

Store at 59°-86°F (15°-30°C)

Inactive ingredients

Citric Acid, Glycerin, Grape Flavor, Propylene Glycol, Purified Water, Sodium Citrate, Sodium Saccharin, Sorbitol.

Questions? Comments?

Serious side effects associated with use of this product may be reported to this number. Call 1-423-493-9170 (8 a.m. to 5 p.m.)

Product Package Label for 473 mL

NDC 12830-864-16

Chlo Hlst

Oral Solution

- **Cough Suppressant**
- **Antihistamine**

Grape Flavor

EACH 5 mL (1 TEASPOONFUL)

CONTAINS:

Chophedianol

Hydrochloride.....12.5 mg

Dexbrompheniramine

Maleate.....1 mg

Alcohol Free/Gluten Free

Sugar Free/Dye Free

ONE PINT (473 mL)

Mfg. for R.A. McNeil Company

Chattanooga, TN 37406-3738

Rev. 09/17

Tamper evident by foil seal under cap. Do not
use if foil seal is broken or missing.

Dispense in a tight, light-resistant container

with a child-resistant cap.

THIS BOTTLE IS NOT TO BE DISPENSED TO THE CONSUMER.

Manufactured for:

R.A. McNeil Company

1150 Latta Street

Chattanooga, TN 37406-3738

US Patent # 9,050,289

Rev. 09/17

Tamper evident by foil seal under cap. Do not use if foil seal is broken or missing.

Dispense in a tight, light-resistant container with a child-resistant cap.

THIS BOTTLE IS NOT TO BE DISPENSED TO THE CONSUMER.

Manufactured for:
R.A. McNeil Company
1150 Latta Street
Chattanooga, TN 37406-3738

US Patent # 9,050,289

Rev. 09/17



NDC 12830-864-16

Chlo Hist Oral Solution

- Cough Suppressant
- Antihistamine

Grape Flavor

**EACH 5 mL (1 TEASPOONFUL)
CONTAINS:**

Chlophedianol
Hydrochloride 12.5 mg
Dexbrompheniramine
Maleate 1 mg

**Alcohol Free/Gluten Free
Sugar Free/Dye Free**

ONE PINT (473 mL)

Mfg. for R.A. McNeil Company
Chattanooga, TN 37406-3738

Rev. 09/17

Drug Facts Lift Here

| Active ingredients | Purpose |
|----------------------------|-------------------|
| (in each 5 mL teaspoonful) | |
| Chlophedianol | |
| Hydrochloride 12.5 mg. | Cough Suppressant |
| Dexbrompheniramine | |
| Maleate 1 mg. | Antihistamine |

Uses A nonnarcotic cough suppressant and antihistamine for the temporary relief of:

- cough due to minor throat and bronchial irritation
- runny nose
- sneezing
- itching of the nose or throat
- itchy, watery eyes

Warnings

Do not exceed recommended dosage.

- May cause drowsiness; alcohol, sedatives, and tranquilizers may increase the drowsiness effect. Avoid alcoholic beverages while taking this product. Do not take this product if you are taking sedatives or tranquilizers, without first consulting your doctor. Use caution when driving a motor vehicle or operating machinery.

Ask a doctor before use if you have

- a cough that lasts or is chronic such as occurs with smoking, asthma or emphysema
- a cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Drug Facts (continued)

- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- excitability may occur, especially in children
- may cause marked drowsiness
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase the drowsiness effect
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- cough or nasal congestion persists for more than 1 week, tends to recur, or is accompanied by a fever, rash or persistent headache. A persistent cough may be a sign of a serious condition.
- new symptoms occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Do not exceed recommended dosage.

| | |
|---|--|
| Adults and children 12 years of age and over: | 2 teaspoonfuls (10 mL) every 6 hours, do not exceed 4 doses in 24 hours. |
| Children 6 to under 12 years of age: | 1 teaspoonful (5 mL) every 6 hours, do not exceed 4 doses in 24 hours. |
| Children under 6 years of age: | Consult a doctor. |

Drug Facts (continued)**Other information**

Store at 59° - 86° F (15° - 30° C)

Inactive ingredients

Citric Acid, Glycerin, Grape Flavor, Propylene Glycol, Purified Water, Sodium Citrate, Sodium Saccharin, Sorbitol.

Questions? Comments?

Serious side effects associated with use of this product may be reported to this number. Call 1-423-493-9170 (8 a.m. to 5 p.m.)

CHLO HIST

chlophedianol hydrochloride, dexbrompheniramine maleate liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:12830-864 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-----------------------------|-----------------|
| CHLOPHEDIANOL HYDROCHLORIDE (UNII: 69QQ58998Y) (CHLOPHEDIANOL - UNII:42C50P12AP) | CHLOPHEDIANOL HYDROCHLORIDE | 12.5 mg in 5 mL |

| | | | | |
|---|--|---|-------------------------------|--------------------|
| DEXBROMPHENIRAMINE MALEATE (UNII: BPA9UT29BS) (DEXBROMPHENIRAMINE - UNII:75T64B71RP) | | | DEXBROMPHENIRAMINE MALEATE | 1 mg in 5 mL |
| | | | | |
| Inactive Ingredients | | | | |
| Ingredient Name | | | | Strength |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | | | | |
| GLYCERIN (UNII: PDC6A3C0OX) | | | | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | | | | |
| WATER (UNII: 059QF0KO0R) | | | | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | | |
| SORBITOL (UNII: 506T60A25R) | | | | |
| | | | | |
| Product Characteristics | | | | |
| Color | | Score | | |
| Shape | | Size | | |
| Flavor | GRAPE | Imprint Code | | |
| Contains | | | | |
| | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:12830-864-16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 09/15/2014 | |
| 2 | NDC:12830-864-20 | 20 mL in 1 BOTTLE; Type 0: Not a Combination Product | 09/15/2014 | |
| 3 | NDC:12830-864-04 | 120 mL in 1 BOTTLE; Type 0: Not a Combination Product | 10/20/2017 | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | | Marketing Start Date | Marketing End Date |
| OTC monograph final | part341 | | 09/15/2014 | |

Labeler - R. A. McNeil Company (008305220)

Revised: 11/2021

R. A. McNeil Company